

SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

1.1 Product identifier

Product number and name 99037 Thermoperl Grade PL

Product type Perlite, expanded

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Plastering aggregate

Uses advised against No specific uses advised against.

Avoid skin contact, eye contact and inhalation.

1.3 Details of the Supplier of the Safety Data Sheet

Manufactured by Pratley Perlite Mining Company (Proprietary) Ltd

14 Jackson Street, Factoria, Krugersdorp, 1745

South Africa

Tel: +27-11-955-2190 Fax: +27-11-955-3918

www.pratleyminerals.com

Supplied in South Africa by Pratley (Proprietary) Ltd

14 Jackson Street, Factoria, Krugersdorp, 1745

South Africa

Tel: +27-11-955-2190 Fax: +27-11-955-3918

sales@pratley.com

www.pratleyminerals.com

Supplied outside South Africa by Pratley Exporting (Proprietary) Ltd

14 Jackson Street, Factoria, Krugersdorp, 1745

South Africa

Tel: +27-11-955-2190 Fax: +27-11-955-3918

exports@pratley.com www.pratleyminerals.com

1.4 Emergency Telephone Number

South Africa +27-11-955-2190 during office hours

10117 All emergencies

+27-21-689-5227 Poisons Information Centre

Europe 112 All emergencies

For detailed poison information, the national poison center, if available, should be

contacted.

Page 2 of 11

Australia 000 All emergencies

13 11 26 NSW Poison Information Centre

New Zealand 111 All emergencies

0800 764 766 National Poisons Centre (poisons@otago.ac.nz)

SECTION 2 – HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Classification

Class	Category	Hazard Code and Statement		
NOT CLASSIFIED AS HAZARDOUS				
HSNO Classification: NOT CLASSIFIED AS HAZARDOUS				

2.1.2 Additional information

2.2 Label Elements

Hazard Pictograms Not applicable

Signal Word Not applicable

Hazard Statements Not applicable

Precautionary Statements Not applicable

Supplemental Hazard information Not applicable

2.3 Other Hazards

Temporary mechanical abrasion of skin, eyes and respiratory tract may occur upon exposure. Abrasion effects should subside after cessation of exposure.

Airborne respirable dust may be generated during handling and use. Dust may contain crystalline silica at <0.1%. Prolonged and or massive inhalation of repirable silica may cause lung fibrosis, commonly referred to as silicosis.

SECTION 3 – Composition / Information on Ingredients

3.1 Substances

% [weight]	CAS No.	EC No. (Index No.)	Name	Classification	H Code(s)
100	93763-70-3	618-970-4	amorphous alumina silicate (perlite, expanded)	NOT CLASSIFIED	not applicable

For full text of H-Statements: see SECTION 16

SECTION 4 – First Aid Measures

4.1 Description of First Aid Measures

Skin Take off contaminated clothing. Rinse with water. Use moisturizing lotions if dryness occurs.

Eye Immediately rinse with water for at least 10 minutes. Remove contact lenses if present and easy to do.

Inhalation Remove from dusty area. Drink water to clear throat. Blow nose to evacuate dust.

Page 3 of 11

Ingestion Drink at least two glasses of water. Consult a physician if you feel unwell.

Notes to No data avaiable.

physician

4.2 Most important symptoms and effects, both acute and delayed

Skin May cause skin irritation.

Eyes May cause irritation.

Inhalation May cause irritation.

Ingestion None known.

See SECTION 11 for more detailed information on health effects and symptoms.

SECTION 5 – Fire Fighting Measures

5.1 Extinguising media

Suitable Use measures appropriate to local circumstances and the surrounding environment.

Not suitable None known

5.2 Special hazards arising from the subtance or mixture

Hazards from the substance or mixture No known significant hazards.

Hazardous thermal decomposition products No known hazardous combustion products.

5.3 Advice for fire-fighters

Special precautions for fire-fighters Promptly isolate the scene by removing all persons from the vicinity of the

incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained

breathing apparatus (SCBA) with a full face-piece operated in positive pressure

mode.

SECTION 6 - Accidental Release Measures

6.1 Personal precuations, protective equipment and emergency procedures

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not walk through spilled material. Avoid breathing vapour or mist. Provide adequate ventilation.

6.1.1 For non-emergency personnel

Protective equipment required Skin General purpose non-permeable gloves and overalls.

Face / Eyes Safety goggles.

Clothing No special requirements. Wash clothing thoroughly if

contaminated.

Page 4 of 11

Ventilation Avoid dust formation. If ventilation is poor use a self-contained

breathing apparatus.

Emergency procedure Collect and dispose of.

6.1.2 For emergency personnel

Protective equipment required Skin General purpose non-permeable gloves and overalls.

Face / Eyes Safety goggles.

Clothing No special requirements. Wash clothing thoroughly if

contaminated.

Ventilation Avoid dust formation. If ventilation is poor use a self-contained

breathing apparatus.

Emergency procedure Collect and dispose of.

6.2 Environmental precautions

No significant environmental impact.

6.3 Methods and material for containment and cleaning up

6.3.1 Containment procedure

No special containment procedure should be needed.

6.3.2 Clean-up procedure

Sweep up. Avoid generation of dust.

6.3.3 Additional Information

See SECTION 13 for disposal considerations.

6.4 Reference to other sections

See SECTION 13 for disposal considerations.

SECTION 7 – Handling and storage

7.1 Precautions for safe handling

7.1.1 Recommendations for safe handling and storage

Do not eat, drink or smoke where this material is stored. Avoid release to the environment. Keep in the original container and keep tightly closed when not in use.

7.1.2 Advice on general occupational hygiene

Put on appropriate personal protective equipment (see SECTION 8). Do not eat, drink or smoke when working with this material. Wash hands and face before eating, drinking or smoking. Do not get in eyes. Avoid skin contact. Do not ingest. Avoid breathing dust.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in the original container protected from sources of ignition or direct sunlight in a dry, cool (10-40°C) and well-ventilated area, away from incompatible materials, food and drink. Keep container tightly closed and sealed until ready to use. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Incompatible materials: None known.

Page 5 of 11

Packaging material: Use original container.

7.3 Specific end use(s)

Not applicable.

SECTION 8 – Exposure Control / Personal Protection

8.1 Control parameters

The DNEL (Derived No-Effect Level) for humans by inhalation, ingestion and dermal routes of exposure and the PNEC (Predicted No-Effect Concentration) for environmental exposure given below are not intended to be directly used for setting workplace or general population exposure limits. Due to differences in calculation methodology the DNEL will tend to be lower (sometimes significantly) than any corresponding health based-OEL for that chemical substance. Further, although DNELs (and PNEC's) are an indication of setting risk measures, it should be recognized that these limits do not have the same regulatory application as officially endorsed government OELs.

Ingredient	Doute of	0.7.00	Exposure Limit		
(CAS No,)	Route of exposure		Workers	Consumers	
	Oral				
	Dermal				
	Inhalation	Total	OSHA, PEL - TWA: 15mg/m³		
amorphous alumina silicate		Inhalable	ACGIH, TLV - TWA: 10mg/m³		
(perlite, expanded) (93763-70-3)			COSHH, WEL - TWA: 6mg/m ³		
		Respirable	OSHA, PEL - TWA: 5mg/m³		
			ACGIH, TLV - TWA: 3mg/m ³		
			COSHH, WEL - TWA: 2.4mg/m³		

Where no value is given, the information is not available or no limit has been set.

PNECs

		Fresh water	Freshwater sediments	Marine water	Marine water sediments	Food chain	Sewage treatment	Soil (agricultural)	Air	Intermittent releases
I	amorphous alumina silicate (perlite, expanded) (93763-70-3)									
I										

Where no value is given, the information is not available or no limit has been set.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Use closed apparatus if possible. Use local exhaust ventilation if release of the material cannot be prevented.

Ensure adequate ventilation, do not breathe dusts; consider emission limits (see Section 8.1).

8.2.2 Personal Protection

Skin General purpose non-permeable gloves and overalls.

Face / Eye Safety glasses suitable for dusts. Avoid eye contact. Do not touch or rub eyes after contact with product.

Wash hands thoroughly with soap and water first.

Page 6 of 11

Inhalation Use outdoors or in a well ventilated area. For dust concentrations above the exposure limits, use a P2

type dust mask or respirator.

Ingestion Do not eat, drink or smoke while working with this product. Wash hands thoroughly with soap and water

after using this product. Keep away from children.

Thermal None required when used as instructed.

Other Always wash hands with soap and water after use.

8.2.3 Environmental Protection

No significant environmental impact.

SECTION 9 – Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance White to off-white powder

Odour Odourless

Odour threshold Not applicable

pH 6 - 8 (10% solution)

Melting point / Freezing point (°C) >1030

Boiling point, initial and range (°C) Not applicable

Flash point (°C) Not applicable

Evaporation rate Not applicable

Flammability Not flammable.

Flammability / Explosive limits Not explosive.

Vapour pressure Not applicable

Vapour density Not applicable

Density, bulk loose (at 23°C) 90 - 120 kg/m³

Solubility Practically insoluble

Partition co-efficient: n-otonal / water No data available.

Auto-ignition temperature (°C) No data available.

Decomposition temperature (°C) No data available.

Viscosity (at 23°C) Not applicable

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

9.2 Other information

Not applicable

SECTION 10 - Stability and Reactivity

10.1 Reactivity

Not reactive.

Document: 99037 EN
Date Prepared: 2020.03.31
Page 7 of 11

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions may occur under certain conditions of storage or use.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

None known.

SECTION 11 – Toxicological Information

11.1 Information on toxicological effects

Ingredient (CAS No.)	Toxicological effect	Conditions	Findings
amorphous alumina	Acute Toxicity - oral		Not classified
silicate (perlite, expanded)	Acute Toxicity - dermal		Not classified
(93763-70-3)	Acute Toxicity - inhalation		Not classified
(33763 76 3)	Skin Corrosion/Irritaion		Not classified
	Serious Eye Damage/Irritation		Mild irritant
	Skin Sensitizer		Not classified
	Respiratory Sensitizer		Mild irritant
	Germ Cell Mutagenicity		Not classified
	Carcinogenicity		Not classified
	Reproductive Toxicity		Not classified
	STOT - Single Exposure		Not classified
	STOT - Repeated Exposure		Not classified
	Aspiration Hazard		Not classified

SECTION 12 – Ecological Information

12.1 Toxicity

Acute Toxicity No data available.

Page 8 of 11

Chronic Toxicity No data available.

12.2 Persistance and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

None known.

SECTION 13 – Disposal Considerations

13.1 Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may reatain some product residues. This material and its container must be disposed of in a safe way.

> Containment Avoid dust generation. Wear appropriate PPE (See Section 6). Sweep and scoop up into an appropiate container for disposal.

Mix with soil. Where possible recycling is preferred to disposal or incineration. Disposal Dispose of in accordance with local regulations.

EWC 15 02 WASTE PACKAGING, ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED: absorbents, filter materials, wiping cloths and protective clothing

15 02 02 (if contaminated with hazardous material)

15 02 03 (if not classed as 15 02 02)

SECTION 14 – Transport Information

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Transport Hazard Class	14.4 Packing Group	
ADR	NOT CLASSIFIED AS HAZARDOUS				
RID	NOT CLASSIFIED AS HAZARDOUS				
ADN	NOT CLASSIFIED AS HAZARDOUS				
IMO/IMDG	NOT CLASSIFIED AS HAZARDOUS				
ICAO/IATA	NOT CLASSIFIED AS HAZARDOUS				

Page 9 of 11

Tariff Code 6806.20 Exfoliated vermiculite, expanded clays, foamed slag and similar expanded mineral materials (including intermixtures thereof)

14.5 Environmental hazards

Environmentally hazardous and/or Marine Pollutant No

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPROL 73/78 and IBC Code

Not applicable as never transported in bulk.

SECTION 15 – Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH EC1907/2006 Annex XIII, XIV, XVII The substance(s) in this product are not listed / not subject to

restrictions.

International Agency for Research on Cancer (IARC) The substance(s) in this product are not listed / not subject to

restrictions.

Australia Inventory (AICS) The substance(s) in this product are listed.

New Zealand Inventory (NZIoC) The substance(s) in this product are listed.

Canada Domestic Substances List (DSL) / The substance(s) in this product are listed.

Non-Domestic Subsance List (NDSL)

United States Inventory (TSCA 8b) The substance(s) in this product are listed.

> California Proposition 65 The substance(s) in this product are not listed / not subject to

> > The substance(s) in this product are not listed / not subject to

restrictions.

Consolidated List of Chemicals Subject to the Emergency Planning

Environmental Response, Compensation and Liability Act (CERCLA)

and Section 112(r) of the Clean Air Act (CAA)

and Community Right-to-Know Act (EPCRA), Comprehensive restrictions.

15.2 Chemical Safety Assessment

Not yet done.

SECTION 16 – Other Information

Full text of abbreviated H statements

Alternative names used for consumer packaging

Page 10 of 11

CAS No.	Ingredient Name (IUPAC)	Name used on Consumer Packaging	

Changes from previous version

Date changed Section Changes

2020.03.31 Updated to GHS / CLP format.

Abbreviations used

ADN European Agreement concerning the International Carriage of Dangerous Goods on Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ACGIH American Conference of Geovernmental Industrial Hygienists

CAS No. Chemical Abstract Services Number

COSHH Control of Substances Hazardous to Health

DNEL Derived no-effect level

EC No. European Community Number

ECHA European Chemicals Agency

EWC European Waste Code

GLP Good Laboratory Practice

HSNO Hazardous Substances and New Organisms Act

IATA International Air Transport Association

IBC International Bulk Container

ICAO International Civil Aviation Authority

IMDG International Maritime Dangerous Goods

IMO International Maritime Organization

LD50 Lethal dose to 50% of test population

LT Long term

mg/kg bw miligrams per kilogram of body weight

mg/kg dwt miligrams per kilogram dry weight

NOAEL No observed adverse effect level

OECD Organisation for Economic Co-operation and Development

OEL Occupational Exposure Limit

OSHA Occupational Safety and Health Administration

PBT Persistant, Bioaccumulative and Toxic

PNEC Predicted no-effect concentration

RID European Agreements Concerning the International Carriage of Dangerous Goods by Rail

SCBA Self contained breathing apparatus

ST Short term

STOT-SE Specific target Organ Toxicity - Single Exposure

TLV Threshold limit value

Time weighted average (the average exposure to a contaminant to which workers may be exposed without adverse

effects over a period such as an 8-hour day or 40-hour week)

Page 11 of 11

UN United Nations

vPvB very Persistant and very Bioaccumulative

WEL Workplace exposure limit