



SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION

1.1 Product identifier

Product number and name **99031** Pratliperl
Product type Perlite, expanded

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Construction and thermal insulation
Uses advised against No specific uses advised against.
Avoid skin contact, eye contact and inhalation.

1.3 Details of the Supplier of the Safety Data Sheet

Manufactured by Pratlery Perlite Mining Company (Proprietary) Ltd
14 Jackson Street, Factoria, Krugersdorp, 1745
South Africa
Tel: +27-11-955-2190 Fax: +27-11-955-3918
www.pratleyminerals.com

Supplied in South Africa by Pratlery (Proprietary) Ltd
14 Jackson Street, Factoria, Krugersdorp, 1745
South Africa
Tel: +27-11-955-2190 Fax: +27-11-955-3918
sales@pratley.com
www.pratleyminerals.com

Supplied outside South Africa by Pratlery Exporting (Proprietary) Ltd
14 Jackson Street, Factoria, Krugersdorp, 1745
South Africa
Tel: +27-11-955-2190 Fax: +27-11-955-3918
exports@pratley.com
www.pratleyminerals.com

1.4 Emergency Telephone Number

South Africa +27-11-955-2190 during office hours
10117 All emergencies
+27-21-689-5227 Poisons Information Centre

Europe 112 All emergencies

For detailed poison information, the national poison center, if available, should be contacted.

Australia 000 All emergencies
13 11 26 NSW Poison Information Centre
New Zealand 111 All emergencies
0800 764 766 National Poisons Centre (poisons@otago.ac.nz)
Americas 911 All emergencies
1-800-222-1222 Poisons Help (PoisonHelp.org)

SECTION 2 – HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Classification

Class	Category	Hazard Code and Statement
NOT CLASSIFIED AS HAZARDOUS		
HSNO Classification: NOT CLASSIFIED AS HAZARDOUS		

2.1.2 Additional information

2.2 Label Elements

Hazard Pictograms Not applicable
Signal Word Not applicable
Hazard Statements Not applicable
Precautionary Statements Not applicable
Supplemental Hazard information Not applicable

2.3 Other Hazards

Temporary mechanical abrasion of skin, eyes and respiratory tract may occur upon exposure. Abrasion effects should subside after cessation of exposure.

Airborne respirable dust may be generated during handling and use. Dust may contain crystalline silica at <0.1%. Prolonged and or massive inhalation of respirable silica may cause lung fibrosis, commonly referred to as silicosis.

SECTION 3 – Composition / Information on Ingredients

3.1 Substances

% [weight]	CAS No.	EC No. (Index No.)	Name	Classification	H Code(s)
100	93763-70-3	618-970-4	amorphous alumina silicate (perlite, expanded)	NOT CLASSIFIED	not applicable

For full text of H-Statements: see SECTION 16

SECTION 4 – First Aid Measures

4.1 Description of First Aid Measures

Skin Take off contaminated clothing. Rinse with water. Use moisturizing lotions if dryness occurs.

Eye	Immediately rinse with water for at least 10 minutes. Remove contact lenses if present and easy to do.
Inhalation	Remove from dusty area. Drink water to clear throat. Blow nose to evacuate dust.
Ingestion	Drink at least two glasses of water. Consult a physician if you feel unwell.
Notes to physician	No data available.

4.2 Most important symptoms and effects, both acute and delayed

Skin	May cause skin irritation.
Eyes	May cause irritation.
Inhalation	May cause irritation.
Ingestion	None known.

See SECTION 11 for more detailed information on health effects and symptoms.

SECTION 5 – Fire Fighting Measures

5.1 Extinguishing media

Suitable	Use measures appropriate to local circumstances and the surrounding environment.
Not suitable	None known

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	No known significant hazards.
Hazardous thermal decomposition products	No known hazardous combustion products.

5.3 Advice for fire-fighters

Special precautions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6 – Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not walk through spilled material. Avoid breathing vapour or mist. Provide adequate ventilation.

6.1.1 For non-emergency personnel

Protective equipment required	Skin	General purpose non-permeable gloves and overalls.
	Face / Eyes	Safety goggles.
	Clothing	No special requirements. Wash clothing thoroughly if contaminated.

Ventilation Avoid dust formation. If ventilation is poor use a self-contained breathing apparatus.

Emergency procedure Collect and dispose of.

6.1.2 For emergency personnel

Protective equipment required

Skin General purpose non-permeable gloves and overalls.

Face / Eyes Safety goggles.

Clothing No special requirements. Wash clothing thoroughly if contaminated.

Ventilation Avoid dust formation. If ventilation is poor use a self-contained breathing apparatus.

Emergency procedure Collect and dispose of.

6.2 Environmental precautions

No significant environmental impact.

6.3 Methods and material for containment and cleaning up

6.3.1 Containment procedure

No special containment procedure should be needed.

6.3.2 Clean-up procedure

Sweep up. Avoid generation of dust.

6.3.3 Additional Information

See SECTION 13 for disposal considerations.

6.4 Reference to other sections

See SECTION 13 for disposal considerations.

SECTION 7 – Handling and storage

7.1 Precautions for safe handling

7.1.1 Recommendations for safe handling and storage

Do not eat, drink or smoke where this material is stored. Avoid release to the environment. Keep in the original container and keep tightly closed when not in use.

7.1.2 Advice on general occupational hygiene

Put on appropriate personal protective equipment (see SECTION 8). Do not eat, drink or smoke when working with this material. Wash hands and face before eating, drinking or smoking. Do not get in eyes. Avoid skin contact. Do not ingest. Avoid breathing dust.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in the original container protected from sources of ignition or direct sunlight in a dry, cool (10-40°C) and well-ventilated area, away from incompatible materials, food and drink. Keep container tightly closed and sealed until ready to use. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Incompatible materials: None known.

Packaging material: Use original container.

7.3 Specific end use(s)

Not applicable.

SECTION 8 – Exposure Control / Personal Protection

8.1 Control parameters

The DNEL (Derived No-Effect Level) for humans by inhalation, ingestion and dermal routes of exposure and the PNEC (Predicted No-Effect Concentration) for environmental exposure given below are not intended to be directly used for setting workplace or general population exposure limits. Due to differences in calculation methodology the DNEL will tend to be lower (sometimes significantly) than any corresponding health based-OEL for that chemical substance. Further, although DNELs (and PNEC's) are an indication of setting risk measures, it should be recognized that these limits do not have the same regulatory application as officially endorsed government OELs.

Ingredient (CAS No,)	Route of exposure		Exposure Limit	
			Workers	Consumers
amorphous alumina silicate (perlite, expanded) (93763-70-3)	Oral			
	Dermal			
	Inhalation	Total	OSHA, PEL - TWA: 15mg/m ³	
		Inhalable	ACGIH, TLV - TWA: 10mg/m ³ COSHH, WEL - TWA: 6mg/m ³	
		Respirable	OSHA, PEL - TWA: 5mg/m ³ ACGIH, TLV - TWA: 3mg/m ³ COSHH, WEL - TWA: 2.4mg/m ³	

Where no value is given, the information is not available or no limit has been set.

PNECs

	Fresh water	Freshwater sediments	Marine water	Marine water sediments	Food chain	Sewage treatment	Soil (agricultural)	Air	Intermittent releases
amorphous alumina silicate (perlite, expanded) (93763-70-3)									

Where no value is given, the information is not available or no limit has been set.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Use closed apparatus if possible. Use local exhaust ventilation if release of the material cannot be prevented.

Ensure adequate ventilation, do not breathe dusts; consider emission limits (see Section 8.1).

8.2.2 Personal Protection

Skin General purpose non-permeable gloves and overalls.

Face / Eye Safety glasses suitable for dusts. Avoid eye contact. Do not touch or rub eyes after contact with product.
 Wash hands thoroughly with soap and water first.

Inhalation	Use outdoors or in a well ventilated area. For dust concentrations above the exposure limits, use a P2 type dust mask or respirator.
Ingestion	Do not eat, drink or smoke while working with this product. Wash hands thoroughly with soap and water after using this product. Keep away from children.
Thermal	None required when used as instructed.
Other	Always wash hands with soap and water after use.

8.2.3 Environmental Protection

No significant environmental impact.

SECTION 9 – Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance	White to off-white powder
Odour	Odourless
Odour threshold	Not applicable
pH	6 - 8 (10% solution)
Melting point / Freezing point (°C)	>1030
Boiling point, initial and range (°C)	Not applicable
Flash point (°C)	Not applicable
Evaporation rate	Not applicable
Flammability	Not flammable.
Flammability / Explosive limits	Not explosive.
Vapour pressure	Not applicable
Vapour density	Not applicable
Density, bulk loose (at 23°C)	90 - 120 kg/m ³
Solubility	Practically insoluble
Partition co-efficient : n-otonal / water	No data available.
Auto-ignition temperature (°C)	No data available.
Decomposition temperature (°C)	No data available.
Viscosity (at 23°C)	Not applicable
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

9.2 Other information

Not applicable

SECTION 10 – Stability and Reactivity

10.1 Reactivity

Not reactive.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions may occur under certain conditions of storage or use.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

None known.

SECTION 11 – Toxicological Information

11.1 Information on toxicological effects

Ingredient (CAS No.)	Toxicological effect	Conditions	Findings
amorphous alumina silicate (perlite, expanded) (93763-70-3)	Acute Toxicity - oral		Not classified
	Acute Toxicity - dermal		Not classified
	Acute Toxicity - inhalation		Not classified
	Skin Corrosion/Irritation		Not classified
	Serious Eye Damage/Irritation		Mild irritant
	Skin Sensitizer		Not classified
	Respiratory Sensitizer		Mild irritant
	Germ Cell Mutagenicity		Not classified
	Carcinogenicity		Not classified
	Reproductive Toxicity		Not classified
	STOT - Single Exposure		Not classified
	STOT - Repeated Exposure		Not classified
Aspiration Hazard		Not classified	

SECTION 12 – Ecological Information

12.1 Toxicity

Acute Toxicity No data available.

Chronic Toxicity No data available.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

None known.

SECTION 13 – Disposal Considerations

13.1 Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.

- Containment Avoid dust generation. Wear appropriate PPE (See Section 6). Sweep and scoop up into an appropriate container for disposal.
- Disposal Mix with soil. Where possible recycling is preferred to disposal or incineration. Dispose of in accordance with local regulations.
- EWC **15 02** __ WASTE PACKAGING, ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED:
 absorbents, filter materials, wiping cloths and protective clothing
15 02 02 (if contaminated with hazardous material)
15 02 03 (if not classed as 15 02 02)

SECTION 14 – Transport Information

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Transport Hazard Class	14.4 Packing Group
ADR				NOT CLASSIFIED AS HAZARDOUS
RID				NOT CLASSIFIED AS HAZARDOUS
ADN				NOT CLASSIFIED AS HAZARDOUS
IMO/IMDG				NOT CLASSIFIED AS HAZARDOUS
ICAO/IATA				NOT CLASSIFIED AS HAZARDOUS

Tariff Code 6806.20 Exfoliated vermiculite, expanded clays, foamed slag and similar expanded mineral materials
(including intermixtures thereof)

14.5 Environmental hazards

Environmentally hazardous and/or Marine Pollutant No

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPROL 73/78 and IBC Code

Not applicable as never transported in bulk.

SECTION 15 – Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH EC1907/2006 Annex XIII, XIV, XVII	The substance(s) in this product are not listed / not subject to restrictions.
International Agency for Research on Cancer (IARC)	The substance(s) in this product are not listed / not subject to restrictions.
Australia Inventory (AICS)	The substance(s) in this product are listed.
New Zealand Inventory (NZIoC)	The substance(s) in this product are listed.
Canada Domestic Substances List (DSL) / Non-Domestic Substance List (NDSL)	The substance(s) in this product are listed.
United States Inventory (TSCA 8b)	The substance(s) in this product are listed.
California Proposition 65	The substance(s) in this product are not listed / not subject to restrictions.
Consolidated List of Chemicals Subject to the Emergency Planning and Community Right-to-Know Act (EPCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) and Section 112(r) of the Clean Air Act (CAA)	The substance(s) in this product are not listed / not subject to restrictions.

15.2 Chemical Safety Assessment

Not yet done.

SECTION 16 – Other Information

Full text of abbreviated H statements

Alternative names used for consumer packaging

CAS No.	Ingredient Name (IUPAC)	Name used on Consumer Packaging

Changes from previous version

Date changed	Section	Changes
2021.08.02		Updated to GHS / CLP format.

Abbreviations used

ADN	European Agreement concerning the International Carriage of Dangerous Goods on Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ACGIH	American Conference of Geovermental Industrial Hygienists
CAS No.	Chemical Abstract Services Number
COSHH	Control of Substances Hazardous to Health
DNEL	Derived no-effect level
EC No.	European Community Number
ECHA	European Chemicals Agency
EWC	European Waste Code
GLP	Good Laboratory Practice
HSNO	Hazardous Substances and New Organisms Act
IATA	International Air Transport Association
IBC	International Bulk Container
ICAO	International Civil Aviation Authority
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
LD50	Lethal dose to 50% of test population
LT	Long term
mg/kg bw	milligrams per kilogram of body weight
mg/kg dwt	milligrams per kilogram dry weight
NOAEL	No observed adverse effect level
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety and Health Administration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
RID	European Agreements Concerning the International Carriage of Dangerous Goods by Rail
SCBA	Self contained breathing apparatus
ST	Short term
STOT-SE	Specific target Organ Toxicity - Single Exposure
TLV	Threshold limit value

- TWA** Time weighted average (the average exposure to a contaminant to which workers may be exposed without adverse effects over a period such as an 8-hour day or 40-hour week)
- UN** United Nations
- vPvB** very Persistent and very Bioaccumulative
- WEL** Workplace exposure limit